

2023 PRODUCT GUIDE

**A NEW LEVEL
OF ACCURACY.**



 **ACCURATE
FOR LIFE**

IMEX



**iMEX is the global laser level brand
providing professional results through
accuracy and efficiency... every time.**

There is no compromise...

In a changing world, a throwaway society and a sea of uncertainty,
some things in life are non-negotiable.

To build a right foundation, to construct and build the world straight, level
and true; today's professional tradesman demands accuracy, toughness,
innovation and efficiency..... this is the world that iMEX creates.

MEASURE TWICE LEVEL ONCE...




**CONTINUOUS
INNOVATION**



**CULTURE OF
CARE**



**COMMITMENT
WITH PASSION**



WHAT iMEX IS -

iMEX is a specialist laser level and measuring brand with an insistence on designing, engineering and producing professional instruments for professional results.

WHAT iMEX DOES -

With every laser control checked and issued with a Calibration Certificate immediately prior to final despatch, built tough to withstand the harshest conditions, innovated to include the ultimate laser and power source technology, after sales calibration and service to keep construction accurate and efficient; the iMEX range is the new age benchmark.


WHY iMEX DOES IT -

iMEX enables the professional tradesman to do and be the best at what they do... constructing a better world.



CONTENTS

- P 08-19** Rotating Lasers and accessories
- P 20-21** Pipe Lasers
- P 22** Auto Levels
- P 24-31** Line and Dot Lasers and accessories
- P 32-33** Level Selection Guide
- P 35** Laser Distance Measuring
- P 36-37** Test Measuring
- P 39** Measuring Wheels
- P 40-41** Spirit Levels
- P 42-43** Digital Spirit Levels
- P 44-45** Tape Measures
- P 46** Display Options
- P 47** Testimonials





Interior set-outs



General levelling lasers



General auto levelling



Grade levelling



Drainage/pipe laser



General Builder



Painter / Decorator



Plumber Drainer



Concretor



Tiler



Suspended ceilings



Spirit & digital levels



Laser distance measuring



Interior fit-out trades



Interior layouts



Measuring wheels



Electrician



Interior Designer
Architect



Earthworker
Landscaper
Ground Worker



Metal Worker



**CALIBRATION
VERIFIED**

ON ALL LASER LEVELS




ROTARY LASERS

THE NEW #1 CONSTRUCTION LASER...

**Introducing the new
groundbreaking rotating laser**

The NEW construction laser range from iMEX; a quantum leap in laser level innovation, with multiple ground breaking features. It's time to level a whole new world...

- 2x 9 Ah lithium-ion batteries with up to 40hrs approx. run time
- USB port fast charge batteries
- Digital Detectors in mm increments standard on all models
- High wind alert auto reset



THE LEADER IN EFFICIENCY

ROTARY LASER

RED BEAM

i66R



The class leader in economical lasers, the iMEX i66R is the best laser for everyday general levelling. Features a digital mm reading detector and a one button function for quick and easy set-up, lithium-ion battery for long run time and robust fully enclosed laser diode for excellent results for a variety of trades.

Features

- Self-levelling
- 400m diameter range
- 2.0mm accuracy @ 30m
- 2x 9 Ah lithium-ion battery approx. 40hr run time
- LRX6 German made mm reading detector with 60mm pick-up
- Detector measures in 1.0mm, 2.0mm and 5.0mm increments
- Out of level warning light
- IP66 water resistant and shockproof
- One button function



Best for



- 5 YEARS WARRANTY**
- CALIBRATION VERIFIED**
- LITHIUM BATTERY**
- DIGITAL DETECTOR**
- QUICK CHARGE**

SPECIFICATIONS	012-I66R		
Self Levelling Range	+/- 5°	USBC Charging	Yes; including 12v car charger
Accuracy	+/- 2.0mm @ 30m	High Wind Sensitivity Re-set	No
Working Distance	400m diameter	Remote Control	No
Function	Horizontal	Weight-Unit Only	2.48Kg
Scan Mode	No	Detector - German Made	LRX6 Double sided
Slope Mode	No	Detector Pick-Up	60mm +30mm to - 30mm
Rotation Speeds	600 rpm	Detector Reading	Fine - 1.0mm
Light Source	Red diode 635nm Class II		Medium - 2.0mm
Water Resistant, Shockproof	IP66		Course - 5.0mm
Power Source	9 Ah 3.7v lithium-ion	Detector Power	1-AA > 50 hrs run
Working Time Continuous Use	40hrs approx	Inclusions	Unit, LRX6 Detector, USB cable, 9.0 Ah Lithium battery, Spare battery, Car charger, target plate, hard carry case
Charging Time	4 hrs		

THE ROBUST ALL ROUNDER

ROTARY LASER

RED BEAM

i77R




The iMEX i77R is the robust all rounder for general levelling. Designed specifically for groundworkers, concretors, landscapers and general building professionals it has a huge 600m diameter range and a 5° slope mode combined with a 90mm pick-up mm reading digital detector.

Features

- Self-levelling
- 600m diameter range
- 1.5mm accuracy @ 30m
- Manual slope mode to 5° (9%)
- 4 rotation speeds
- 2x 9 Ah lithium-ion battery approx. 40hr run time
- LRX10 German made mm reading detector

- with 90mm pick-up
- Measures in 0.5mm, 1mm, 2mm, 5mm and 10mm increments
- Out of level warning light
- IP66 water resistant and shockproof



Best for



- 5 YEARS WARRANTY**
- CALIBRATION VERIFIED**
- LITHIUM BATTERY**
- DIGITAL DETECTOR**
- QUICK CHARGE**



SPECIFICATIONS		012-I77R	
Self Levelling Range	+/- 5°	USBC Charging	Yes; including 12v car charger
Accuracy	+/- 1.5mm @ 30m	High Wind Sensitivity Re-set	Yes
Working Distance	600m diameter	Remote Control	Yes, iCR7
Function	Horizontal	Weight-Unit Only	2.48Kg
Scan Mode	No	Detector - German Made	LRX10 Double sided
Slope Mode	Yes - Single manual grade to 5° 9%	Detector Pick-Up	90mm -30mm to +60mm
Rotation Speeds	0, 60, 120, 300, 600 rpm	Detector Reading	Ultra fine - 0.5mm; Fine - 1.0mm; Medium - 2.0mm; Course - 5.0mm; Ultra Course - 10.0mm
Light Source	Red diode 635nm Class II	Detector Power	1-AA > 50 hrs run
Water Resistant, Shockproof	IP66	Inclusions	Unit, LRX10 Detector, Remote control unit, USB cable, 9.0 Ah Lithium battery, Spare battery, Car charger, target plate, hard carry case
Power Source	9 Ah 3.7v lithium-ion		
Working Time Continuous Use	40hrs approx		
Charging Time	4 hrs		

THE STANDOUT IN THE FIELD

ROTARY LASER

GREEN BEAM

RED BEAM

i88G


i88R

The i88 series is the most versatile and feature-packed rotary laser in the iMEX range. With manual dual slope and available in red or green beam to suit both indoor and outdoor use.



Features

- Self-levelling
- 600m diameter range
- 1.5mm accuracy @ 30m
- Manual dual slope model
- 4 rotation speeds
- Horizontal/ vertical operation
- Scan mode for site shielding and concentrated levelling
- 2x 9Ah lithium-ion battery



- LRX10 German made mm reading detector with 90mm pick-up
- Detector measures in 0.5mm, 1mm, 2mm, 5mm, 10mm increments
- High wind sensitivity override- resets to compensate high wind
- IP66 water resistant and shockproof



Best for



- 5 YEARS WARRANTY**
- CALIBRATION VERIFIED**
- LITHIUM BATTERY**
- DIGITAL DETECTOR**
- QUICK CHARGE**

SPECIFICATIONS

012-I88G, 012-I88R

Self Levelling Range	+/- 5°	USBC Charging	Yes; including 12v car charger
Accuracy	+/- 1.5mm @ 30m	High Wind Sensitivity Re-set	Yes
Working Distance	600m diameter	Remote Control	Yes, iCR8
Function	Horizontal/Vertical	Weight-Unit Only	2.48Kg
Scan Mode	Yes, 0°, 10°, 45°, 90°, 180°	Detector - German Made	LRX10 Double sided
Slope Mode	Yes - Dual manual grade to 5° 9%	Detector Pick-Up	90mm -30mm to +60mm
Rotation Speeds	0, 60, 120, 300, 600 rpm	Detector Reading	Ultra fine - 0.5mm; Fine - 1.0mm; Medium - 2.0mm; Course - 5.0mm; Ultra Course - 10.0mm
Light Source	Green 535nm/Red 635nm Class II	Detector Power	1-AA > 50 hrs run
Water Resistant, Shockproof	IP66	Inclusions	Unit, LRX10 Detector, Remote control unit, USB cable, 9.0 Ah Lithium battery, Spare charger, Car charger, target plate, hard carry case
Power Source	9 Ah 3.7v lithium-ion		
Working Time Continuous Use	24hrs approx Green, 40hrs approx Red		
Charging Time	4 hrs		

**ECONOMY LASER
LEVELLING**
**ROTARY
LASER**
RED BEAM

E60



The new generation of entry level rotating laser from iMEX, the E60 is an economical laser for general set-out and levelling and comes in a hard carry case complete with an elevating tripod and 3m staff.

- Self levelling
- 300m dia range
- One button function
- 3yr warranty



Kit Includes

- Detector dual faced
- Elevating tripod 1.8m
- 3m staff
- Target plate
- Hard carry case



SPECIFICATIONS

012-E60K

Range	300m dia
Accuracy	3.0mm @ 30m
Light Source	Red laser 635nm
Waterproof/Shockproof	IP54
Power	4 x AA Alkaline
Detector	Course and Fine
Warranty	3 yrs

3
YEARS

WARRANTY

IMEX

LASER TOOLS

ACCURATE
FOR LIFE



THE NEW #1 CONSTRUCTION LASER...



5
YEARS

WARRANTY



**LITHIUM
BATTERY**



**DIGITAL
DETECTOR**



**QUICK
CHARGE**

MACHINE CONTROL RECEIVERS

MR360

The optimum in time saving for all skid steer, excavators, graders or dozers, the MR360 has a full 360° reception and in-cab display for easy site preparation.

Features


- 360° reception range
- In-cab display with 8m cable
- Large 250mm pick-up board
- Fits all machines and detects all red beam lasers

SPECIFICATIONS	012-MR360M/012-MR360C
Accuracy fine	+/- 3mm to +/-12mm
Accuracy course	+/- 5mm to +/-25mm
Rechargeable Batteries	7.2v NiMH
Operating time	40hr
Charge time	10hr
Operating temp	- 20°C + 50°C
Pick-up length	250mm
in-cab display	with 8m cable
Waterproof, Dustproof	IP66



MR240

The great all round machine control receiver from iMEX has a 240° pick up and can be used as a stand alone detector on a staff or as a machine control receiver on an excavator, skid steer loader or small grader. Great for maximum site-setout efficiency.



3 YEARS WARRANTY

SPECIFICATIONS	012-MR240
Detector Range	200m
Detector Accuracy	Fine +/- 5mm Course +/- 12.5mm
Detector Receiving Range	240°
Detection Wavelength	630nm - 780nm
Power	DC 6V (AAx4)
Temp. Range	- 20°C + 50°C
Storage	- 30°C + 60°C
Waterproof/ Shockproof	IP66

ROTATING LASER RECEIVERS

LRX6

DIGITAL DETECTOR

Takes the guesswork out of levelling with readings down to the mm. With a 60mm detection window, dual face and fine, medium and course setting.

3
YEARS

WARRANTY



MADE IN
GERMANY




LRX10

DIGITAL DETECTOR

The ultimate in rotating laser detection, the LRX10 has a 90mm pick-up and readings down to 0.5mm, 5 standard settings from ultra-fine to ultra-course.

SPECIFICATIONS	012-LRX6
Detector Window	60mm +30 to -30
Range	300m
Detectable Spectrum	Red, Green Laser
Resolution	Fine - 1.0mm
Settings	Medium - 2.0mm Coarse - 5.0mm
Magnets	2 x topface
Drop test on concrete	1.5m height
Waterproof, Shockproof	IP67



SPECIFICATIONS	012-LRX10
Detector Window	60mm +30 to -30
Range	300m
Detectable Spectrum	Red, Green Laser
Resolution	Ultra fine - 0.5mm Fine - 1.0mm Medium - 2.0mm Coarse - 5.0mm
Magnets	2 x topface
Drop test on concrete	1.5m height
Waterproof, Shockproof	IP67

3
YEARS

WARRANTY



MADE IN
GERMANY

LASER ACCESSORIES

ALUMINUM TRIPOD


Heavy duty flat or domed

012-SJA30F

- Flat top

012-SJA30D

- Domed top
- 5/8" standard thread, fits all lasers
- Twist-locks for greater stability



ALUMINUM MUSKATEER ELEVATING TRIPOD

Elevates to 2.6m
012-SJP50

- Heavy duty aluminum
- Fine adjustments
- Heavy duty mounting plates



Dome top



Flat top



YELLOW COMPOSITE TRIPOD

Suits all lasers plus theodolites and total stations

012-SJW20

- Fiberglass construction for minimum temperature variation
- Twist locks



LASER CASE

012-ICCR

- to suit i66R, i77R, i88G, i99R
- Heavy duty foam inserts

DEGREES °	0.1	0.2	0.3	0.4	0.5	0.57	0.6	0.7	0.8	0.9	1	2	3	4	5	5.74
% grade	0.17	0.35	0.52	0.70	0.87	1	1.05	1.22	1.40	1.57	1.75	3.49	5.24	6.99	8.75	10

STAFFS

CUT AND FILL ROD

- 012-ICCFR**
- Add and subtract measurements from level point for accurate site excavation
 - Canvas bag

5M STAFF

- 012-IMELS5**
- Easy read in mm
 - 5 - 1m sections
 - Canvas bag

"E" 5M STAFF

- 012-IMELS5E**
- Easy read in 1 cm
 - 5 - 1m sections
 - Canvas bag



LASER GLASSES

**008-6850R,
008-6850G**

Laser glasses enhance the laser beam to increase visibility, with red and green versions to suit your laser.

BRACKETS

DETECTOR BRACKETS FOR LAX SERIES



GRADE MOUNT BRACKET

012-L5350



WALL BRACKET

- 012-WB2**
- Suit all lasers
 - Ceiling grid mount

REMOTES



ICR7

- 012-ICR7**
- Suits i77R



ICR8

- 012-ICR8**
- Suits i88R and i88G

BATTERY AND CHARGERS

ISERIES ROTATING LASER LITHIUM ION

- 012-BL3792**
- 9Ah 3.7V
 - USB charge port



240V CHARGER

- 012-24RUSB**
- USB-C port
 - Suits iSeries lasers



CAR CHARGER SOCKET

- 012-CC9USB**
- 12v
 - USB-C port



NEW RELEASE

IPL3TG

IPL3TR

GREEN BEAM RED BEAM

The all new iMEX IPL3 series pipe drainage lasers have new wireless remote setting, auto track on-grade and the capability of fitting a 100mm PVC pipe. With interchangeable feet for a variety of pipe sizes, a huge -20% to +40% grade and fully submersible IP68 rating the new iMEX pipe lasers are set up for the most demanding tasks.

5
YEARS

WARRANTY



CALIBRATION
VERIFIED



LITHIUM
BATTERY

Fits 100mm pipe

Sealed for
IP68 waterproof

All metal housing

8Ah Lithium battery

Large backlit
display

Screw in metal legs
to suit 150, 200,
250, 300, 400
& 500mm pipe

Battery
Indicator

Features

- 300m range
- Electronic levelling
- Auto tracks target plate
- -20% to +40% gradient
- Lock-out grade (for solar farm pile driving)
- 8Ah lithium-ion rechargeable
- IP68 submersible
- 1.5mm @30m accuracy
- LCD display remote - pick-up 100m from unit

Fits a 100mm pipe



Kit inclusions + Interchangeable feet



PIPE LASER ACCESSORIES



REMOTE CONTROL

012-IPLLBT

TARGET ASSEMBLY

012-TAR30 Red
012-TAG30 Green

TARGET ASSEMBLY HOLDER

012-IPL3TRTAR100 Red
012-IPL3GTAR100 Green



RED
250-300

012-IPL3TRTAR250



GREEN
250-300

12-IPL3GTAR250



RED
400-500

012-IPL3TRTAR400



GREEN
400-500

012-IPL3GTAR400



CHARGER

012-IPL3TCHR



LI-ION BATTERY

012-IPLLBT



5 YEARS

WARRANTY



CALIBRATION VERIFIED

AUTO LEVELS

LAR28/32



Combining an all metal, fully sealed housing for all weather protection and high magnification. iMEX LAR28 and LAR32 are the most robust auto-levels available. A magnetic damping compensator ensures better stability and reliability in all conditions.

- Metal, fully sealed housing
- Magnetic damping compensator
- 28x or 32x magnification



SPECIFICATIONS	012-ILAR28	012-ILAR32
Standard deviation 1km double run	1.5mm	1.0mm
Magnification	28x	32x
Horizontal circle	360°	360°
Compensator	Magnetic Damping	Magnetic Damping
Objective Aperture	34mm	34mm
Weight	1.8kg	1.8kg

3
YEARS

WARRANTY



**CALIBRATION
VERIFIED**

iMEX - THE PERFECT GREEN MACHINE





LINE AND DOT LASERS

TILER'S SQUARE

PREMIUM

The new LX11 Premium green beam is the class leader for floor tilers. With 2 beams at 90° for true set-out, adjustable legs to keep the tool above the tiles and a target plate. The LX11GP is the laser to increase a tiler's efficiency. The Green beam gives greater visibility over a larger distance, for even more efficiency and productivity, especially over larger commercial projects.

Features

- All metal base
- Adjustable legs
- 2 beams @ 90°
- Target plate
- Canvas bag

LX11GP

GREEN BEAM



SPECIFICATIONS	012-LX11GP - Green Beam
Light Source	532nm green
Output	Laser class 11
Accuracy	0.4mm/m
Batteries	3 x AAA



L2G

MINI CROSSLINER

GREEN BEAM

The L2G is a crossliner for the handyman or DIYer for all internal tasks. It has high visibility green lines and comes in a package with a standard elevating tripod, and in a canvas bag.

SPECIFICATIONS	012-L2G
Self Levelling	Yes
Lines	1 horizontal, 1 vertical
Range	20m
Accuracy	3mm @ 10m
Tripod	Yes 280-660mm



CROSSLINER

PREMIUM

The small, line laser from iMEX with a pulsating beam for outdoor use with optional detector, emitting a strong horizontal and vertical line for all set-out work. With a plumb spot and 360° turn table is a tool for all professional trades. Has a quick release heavy duty magnetic bracket and the LX22G green beam is powered by a 5.2 Ah lithium battery.

LX22G

GREEN BEAM

LX22


RED BEAM

Features

- All metal base
- Adjustable legs
- 2 beams @ 90°
- Target plate
- Canvas bag

Kit Inclusions

- Target plate
- Hard carry case
- Magnetic bracket
- 1X 5.2 Ah li-ion pack
- 1X Alkaline battery pack



Keypad

Battery

Magnetic wall bracket

Lock/unlock



SPECIFICATIONS	012-LX22 Red Beam	012-LX22G Green Beam
Self Levelling Range	4° ±1	4° ±1
Accuracy	±3mm @10m	±3mm @10m
Laser Wavelength	635 nm	520 nm
Batteries	3 x AA Alkaline	5.2Ah lithium ion

LX SERIES II

3
YEARS

WARRANTY

LINE & DOT LASER

The new generation iMEX LX25P with class leading iMEX Laser-edge technology high definition line and dots makes this the ultimate dual purpose laser for all interior work. Combines with a magnetic bracket that also suits a number of tripod options. Also comes with an optional line detector for outdoor use to 50m. The LX25P is one of the most robust multi-purpose lasers available.

Features

- 4 dots
- Plumb up / down
- 2 @ 90°
- 1 horizontal, 1 vertical line
- Magnetic base
- Fits tripods
- Line and dots bisects

Kit Inclusions

- LX25P
- Magnetic bracket base
- Target plate
- Padded hard plastic case
- 1X 5.2 Ah li-ion pack
- 1X Alkaline battery pack

LX25GP

GREEN BEAM

LX25P

RED BEAM




Battery

Magnetic wall bracket

Lock/unlock

012-LX25PD With Detector Red
012-LX25GPD With Detector Green



Pin hanger



Magnetic wall bracket

SPECIFICATIONS	012-LX25P, 012-LX25PG Green Beam
Light Source	635nm red diode, 532nm green
Output	Laser class 11
Accuracy	+ / - 2mm @ 10m
Damping Type	Magnetic - self levelling
Beams	1 horizontal line 1 vertical line -185° plumb up, plumb down 2 dots @90°
Hours of Continuous Use	Approximately 6hrs all lasers
Working Distance	25m lines, 30m dots, 55m outdoors with optional detector
Operating Range	-10°c to +70°c
Batteries	5.2Ah lithium/alkaline option

LX SERIES II

3
YEARS

WARRANTY

MULTI-LINE LASER

GREEN BEAM

LX3DG

The ultimate in multi-line laser levelling, the iMEX LX3DG has full 360° uninterrupted lines and a unique preciseALIGN™ fine adjustment which pivots from the datum point for the optimum levelling experience. Powered with a lithium platform, the kit includes a spare battery for maximum efficiency.



Features


- High visibility 360° uninterrupted lines
- PreciseALIGN adjustment
- Lithium battery
- 1 horizontal / 2 vertical lines

Kit Inclusions

- Heavy duty magnetic bracket
- Ceiling bracket
- Spare lithium battery
- USB charger
- Hard carry case



Hard carry case



012- LX3DGDWith Detector

SPECIFICATIONS	012-LX3DG - Green Beam • For outdoors to 50m
Light Source Diode	532nm Green
Output	Laser class 11
Accuracy	+ / - 3mm @ 10m
Damping Type	Magnetic Compensator - Self Levelling
Function	1 Horizontal - 360°, 2 Vertical - 360°
Working Distance	20m, 50m with detector
Hours of Continuous Use	Green Beam - 12hrs one beam, 5hrs all beams
Batteries	Lithium-ion 3.7V, 2X 5.2 Ah li-ion batteries + spare battery
IP Rating	IP54
Operating Temperature	-10°c to +50°c

LX SERIES II

3 YEARS WARRANTY

LITHIUM BATTERY

HIGH ACCURACY

DETECTOR

FOR ALL LINE LASERS

LD100

A heavy duty liner laser detector that suits all IMEX red or green lasers for working up to 50m from the laser.

Features

- Picks up red or green beam
- Suits all line lasers
- 80mm pick-up band
- Course and fine setting
- Loud and soft buzzer



SPECIFICATIONS

012-LD100

Levelling Accuracy (High)	1mm
Levelling Accuracy (Low)	2mm
(Low) 2mm Working Radius	<50M
Laser Reception Window Width	80mm
Bubble Vial Accuracy	30' /2mm
Operation Time	40h
Auto Power Off (with No Signal Detected)	30min
Power Supply	2 x AA alkaline batteries
IP Rating	IP66
Operating Temperature Range	- 10°c - 50°c
Storage Temperature Range	20°c - 70°c

3
YEARS

WARRANTY

LINE AND DOT LASERS

ACCESSORIES



TARGET PLATES

Red - 012-TPR
Green - 012-TPG




LASER GLASSES

Red - 008-6850R
Green - 008-6850G




LITHIUM BATTERY

012-BL52L



MAGNETIC BASE BRACKET

012-LXBP2
To suit LX22 and LX25P series II



MAGNETIC BASE BRACKET

012-LXBP3
To suit LX3DG series II



BRACKET

012-LDBT1
To suit LD100 detector



BATTERY CHARGER

012-24LUSB
To suit all LX series II



**HARD
CARRY CASE**


012
To suit all LX series II



IPOWER 200

015-IPB200

- Solar Powerbank
- 16,00Ah
- To suit charging
Lithium-ion batteries



**ELEVATING
TRIPOD**

012-EV18

- EV18 1.8m

LASER POLE

012-320200

- To suit all line lasers
- Canvas bag
- To 3.3m
- Tripod base for
extra stability



LEVEL SELECTION GUIDE



SPECIFICATIONS	LAR 28/32 Auto Level	LX22	LX22G	LX25P	LX25GP
General survey/Setout	✓				
Site Preparation	✓				
Water Drainage	✓				
Slab or Pier Layout	✓				
Frame Levelling and Plumb			✓	✓	✓✓
Interior Set-outs		✓✓	✓✓	✓✓	✓✓★
Kitchen and Cabinetry Set-out		✓	✓	✓✓	✓✓★
Wall and Flooring		✓	✓✓	✓	✓
Suspended Ceiling Setout				✓	✓
Interior Lights /Set-outs		✓	✓✓★	✓✓	✓✓★
Warehouse Fit-outs	✓				✓
Drive-ways, Paving	✓				

*Read in conjunction with specifications - Best ✓✓★ | Top choice ✓✓ | Suitable ✓

FEATURES	LAR 28/32 Auto Level	LX22	LX22G	LX25P	LX25GP
One man operation	No	Yes	Yes	Yes	Yes
Self levelling	No	Yes	Yes	Yes	Yes
Interior	No	Yes	Yes	Yes	Yes
Exterior	Yes	No	No	No	No
Horizontal/vertical	No	Yes	Yes	Yes	Yes
Remote control unit	No	No	No	No	No
Detector for external use	NA	Option	Option	Option	Option
Range	1Km	10m	15m	30m dots	30m dots
Green beam	NA	No	Yes	Yes	Yes
Lithium battery	NA	No	Yes	Yes	Yes

* Information correct at time of printing. Due to constant product development specifications may change without notice © 2022.
"Tripod and staffs extra options"



LX3DG	i66R	i77R	i88R	i88G	i99R
	✓	✓	✓✓	✓	✓✓★
	✓✓	✓✓★	✓✓	✓	✓✓★
	✓	✓	✓✓	✓	✓✓★
	✓	✓✓★	✓✓★	✓✓★	✓✓
✓✓★			✓	✓✓	✓
✓✓★		✓	✓	✓✓	
✓✓				✓	
✓✓★				✓	
✓✓★				✓✓★	
✓				✓	
✓		✓	✓	✓✓★	✓
		✓	✓✓	✓	✓✓★

LX3DG	i66R	i77R	i88R	i88G	i99R
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
No	Yes	Yes	Yes	Yes	Yes
Yes	No	No	Yes	Yes	Yes
No	No	Yes	Yes	Yes	Yes
No	Yes	Yes	Yes	Yes	Yes
30m	400m dia	600m dia	600m dia	600m dia	600m dia
Yes	No	No	No	Yes	No
Yes	Yes	Yes	Yes	Yes	Yes



DIGITAL MEASURING AND TESTING

iMEX has a range of heavy duty and accurate digital measuring and testing instruments. Designed for the professional tradesman where quality and accuracy is essential, there tools are manufactured to iMEX's exacting standards.



LASER DISTANCE MEASURING

HOT TIP

As a quoting tool for all trades including real estate, architects as well as all building and interior trades - the iMEX laser distance measurers give you the professional edge.



BULLSEYE30

The new generation in Laser Distance Measuring incorporates the fast engine measuring technology with high accuracy in a robust housing for the optimum in affordable professional measuring.

Features

- 30m range
- Measure area, length, cubic
- 7 x second speed measuring
- 2.0mm accuracy @ 30m
- Belt clip-unfolds for measuring into tight corners



SPECIFICATIONS	008-10BE30
Measuring Range	0.05m - 30m
Measuring Precision (Typical)	±2mm
Laser Class	11
Laser Type	620-690 nm, <1mW
Type	Indoor
Battery	2 x 1.5V AAA
Battery Life	5000 measurements
Operation Temperature	0°C + 45°C
Size (mm)	120 x 38 x 20

Features

- 80m range
- Measure area, length, cubic and Pythagoras
- Tilt function for angle measuring and indirect
- Adjustable end function
- 99 Measurement recall
- Belt pouch

SPECIFICATIONS	008-10BE80
Measuring Range	0.05m - 80m
Measuring Precision (Typical)	±1.5mm
Laser Class	11
Laser Type	620-690 nm, <1mW
Type	Indoor/outdoor
Battery	2 x 1.5V AAA
Battery Life	5000 measurements
Operation Temperature	-10°C + 50°C
Size (mm)	121 x 45 x 25

BULLSEYE80

The new generation in Laser Distance Measuring incorporates the fast engine measuring technology with high accuracy in a robust housing for the optimum in affordable professional measuring. Includes a tilt function to calculate angles and 99 measurement recall for class leading measuring.



Area and Dimension calculation



Easy to use



Stakeout Measurement



Indirect measuring

TEST MEASUREMENT

The high sensitivity detector for deep scanning detection of wiring, copper and re-bar.

STUD FINDERS CENTREPRO120

013-CP120

- 120mm maximum scanning depth
- Detects timber, metal, copper, aluminium and re-bar.
- Large LCD
- Auto Shut down
- Re-bar - 120mm
Copper and aluminium - 80mm
Electrical wire - 50mm
Timber - 20mm

**NEW
RELEASE**



MOISTURE METER MP100

The high accuracy moisture meter is an easy to operate tool to measure moisture content in timber and construction materials such as dry wall.

013-MP100

- Large LCD
- Timber reading 5-50% moisture
- Construction materials 1.5-33% moisture
- Protection cap for pins
- Coloured moisture indicators

THE STUD FINDER THAT WORKS...

INFRARED THERMOMETER IR650

Safely measure temperature of all surfaces and fluids with instant accurate readings.

013-IR650

- Infrared thermometer
- -50 C° to 650 C°
- Measure in C° or F°
- Large backlit LCD
- Laser target pointer
- 10 measurement recall
- For all professional trades




SOLAR POWER BANK iPOWER200

The solar powered heavy duty iPower power bank can recharge phones, or iMEX lithium powered lasers to keep going in all conditions anywhere.

015-IPB200

- 20,000 mAh
- Solar Panel 360mAh
- Input - USB-C 5v 3A
- Output - dual USB 5V 3A
- Waterproof, Shockproof
- In-built 4 ultra bright LED lights



HANDTOOLS AND LINEAR MEASURING

Supplementing the iMEX laser range is a quality range of professional hand tools and measuring equipment. Robust, accurate and high quality, these tools are a great addition to every toolbox.



MEASURING WHEELS

1/2 SIZE WHEEL R500

003 - R0500

- 10,000m range
- 1/2 size wheel
- Fast one finger fold up
- Trigger brake
- Folds to 380mm
- Canvas bag



STANDARD SIZE R1000

003 - R1000

- 10,000m range
- High accuracy
- Easy fold down
- Easy to read display
- Trigger brake
- Canvas "backpack" bag



DIGITAL READING R1000D

003 - R1000D

- 10,000m range
- Large LCD display on handle
- 5 measurement memory
- Auto shut-off
- Easy fold down
- "backpack" bag




SPIRIT LEVELS

STORM PROFESSIONAL

The heavy duty Storm Professional level series from iMEX incorporate high accuracy vials with a rugged double ribbed reinforced box selection for every day use by all professional tradesman, manufactured to iMEX exacting standards these levels stand up to the harshest working environments.

- Professional trades heavy duty
- Machined base
- Highest accuracy 0.3mm/m
- Shockproof end caps
- Heavy duty reinforced section 60 x 25
- Made in Europe



SPECIFICATIONS

Size	600, 900, 1200, 1800, 2000, 2400
Accuracy	0.3mm/m
Vials	Marking for 0° and 2° slope, shock resistant
Base	Machine finish on 600, 900, 1200mm
Section	Double rib 60mm x 25mm 900gr/m reinforced aluminium
Finish	Epoxy iMEX green
Guarantee	30yr for vials

Up to 2400



- 002-SP060 600mm
- 002-SP090 900mm
- 002-SP120 1200mm
- 002-SP180 1800mm
- 002-SP200 2000mm
- 002-SP240 2400mm



“Mean in green ♥. iMEX Storm professional series. Super impressed with the recent additions to my tool chest. These European made heavy duty levels get a big tick for the slimline, lightweight, ruggedness and all round good looks.”

- TERRY THE TILER AUD -

30
YEAR

VIAL
GUARANTEE

2° slope 0°



High visibility round shaped vial




Heavy duty 900gr/m aluminium

Double ribbed

Shockproof end

Reinforced stiffening bars



INCLINOMETERS

For use with drilling rigs, shipping or machinery where the operator needs to know the slope or the angle of inclination.

Magnetic base to attach to equipment.

- 150mm or 600mm
- Measure slope in °
- Measure ° from $4 \times 90^\circ = 360^\circ$
- Magnetic base
- Scale for slopes 0-100%



**INCLINOMETER
150MM**

002-ICL15



**INCLINOMETER
600MM**

002-ICL60

DIGITAL SPIRIT LEVELS

With an unequalled range of digital levels and angle finders these iMEX tools are professional quality for all construction trades.

160MM DIGITAL LEVEL EL20



002 - EL20

- 360° angle measuring
- Magnetic V base
- Large LCD display
- Self calibration function
- % and °
- Audible buzzer at 0° horizontal
- +/- 0.1° accuracy
- Padded bag included



600MM DIGITAL LEVEL EL60

002 - EL60



1200MM DIGITAL LEVEL EL120

NEW RELEASE

MKII



002 - EL120

- | | |
|---|--|
| <ul style="list-style-type: none"> — 360° angle measuring — Large LCD display — Display hold and alternative zero function — Inclination direction indication — Self calibration function — % and ° | <ul style="list-style-type: none"> — mm/m, "/ft — Audible buzzer at 0° horizontal — +/- 0.1° accuracy — Padded bag included — Padded hand grip — 3 - AAA batteries |
|---|--|

ON THE JOB DIGITAL ACCURACY...



300MM DIGITAL LEVEL + LASER POINTER **EL30L**

- Heavy duty magnetic base
- LCD rotates for overhead measuring
- Laser pointer to 50m, light dependent
- Measure on % or °

Combine angle finding with a laser pointer gives a unique alignment function.

002 - EL30L

- Audible buzzer at level - 0°
- +/- 0.1° accuracy
- Self calibration function



600MM DIGITAL LEVEL + LASER POINTER **EL60L**

002 - EL60L

- 360° angle measuring
- Laser pointer to 50m, light dependent
- Large LCD display
- Display hold and alternative zero function
- Inclination direction indication
- Self calibration function
- % and ° mm/m, "/ft
- Audible buzzer at 0° horizontal
- +/-0.1° accuracy
- Padded bag included
- 3 - AAA batteries

DIGITAL ANGLE GAUGES

- 4 sizes
- Large LCD display
- Measure 0-185°
- Horizontal and vertical vials
- Protected on/off switch
- 9V battery
- Extra heavy duty aluminium construction

3
YEARS

WARRANTY



**MADE IN
GERMANY**

- 002-498035 350mm
- 002-495050 500mm



TAPE MEASURES

- 25mm blade, super heavy, long stand-out
- 3 rivet ends
- 3 sizes 5m, 8m, 10m, 8m/27' met/Imp
- High visibility compact case

POWER PRO RETRACTABLES



- 006-PP0525 5m
- 006-PP0825 8m
- 006-PP0825I 8m/27'
- 006-PP0125 10m

AWARD WINNER

Product of the Year
Professional Builder
Magazine UK

STORM PROFESSIONAL SC CLOSED REEL

006-SC3095

- 30m
- Fast 2 x rewind
- Metric top side
- Imperial bottom side
- 9.5mm wide tape



STRINGLINES

- 8 braid nylon line
- 50m and 100m
- 3 colour - pink, green & lime
- 10 rolls per carton

- | | | |
|------|-------|--------------|
| 100m | Pink | 018 - SL100P |
| | Lime | 018 - SL100L |
| | Green | 018 - SL100G |



- 006 - SP3013 30m
- 006 - SP5013 50m
- 006 - SP0013 100m

- 30, 50, 100m
- Fast 2 x rewind
- Metric top side
- Imperial bottom side
- Soft grip handle
- 13mm wide tape
- Cushion end

**STORM PROFESSIONAL
SP SERIES STEEL TAPES**



**FR SERIES
FIBERGLASS TAPES**

- 006 - FR3013 30m
- 006 - FR5013 50m
- 006 - FR0013 100m

- 30, 50, 100m
- Fast 2 x rewind
- Metric top side
- Imperial rear side

- Soft grip handle
- 200kg tensile strength
- Cushion end



MEASUREMART®

The One-Stop displays for all your iMEX laser or measuring requirements. Check it out at your local tool and hardware store.



"These LX3DGs came back in battered and bruised because of harsh use; both still working and accurate... Built tough!"

- iMEX UK -

SERVICE & CALIBRATION

iMEX has full service and calibration facilities or service agents in multiple locations to keep your iMEX products at peak performance and accuracy for ongoing professional levelling.

- Full service and repair
- Calibrations
- Calibration certificates
- Spare parts
- Accessories

THE LAST WORD...

Here's what the customers say about their iMEX experience, connect with us for

RELIABILITY | EFFICIENCY | PRECISION



TESTIMONIALS

"The technology is all out there - the trick is to make it builder friendly to withstand a few knocks... and iMEX is confident to guarantee their rotating lasers for 5 years"

- PROFESSIONAL BUILDING MAG UK -

"We use an 88R vertically on multi stories, fantastic. A four man operation now becomes a one man operation."

- TOWER CRANE AND SCAFFOLD OPERATOR -

"If your local tool and hardware store doesn't stock iMEX ask them why not"

- SJ - CONTRACTOR -

"Purchase the LX3DG and its absolutely awesome. So much better than any lasers I've used in the past. Suitable for anyone looking for the best."

- ANDREW ADAMIC -

"Great products. We've been using iMEX levels for some time now and wont be going back to anything else"


- R H-PENN -



WHEN ACCURACY MATTERS... iMEX IT!

WWW.IMEXLASERS.COM

 **ACCURATE**
FOR LIFE



iMEX Lasers - part of the Position Partners Pty Ltd Group © 2023